

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

APPLICANT
DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

11039 U.S. P.
10/007747
12/07/01

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE

FOREIGN PATENT DOCUMENTS

DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	Translation NO YES

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

<i>2</i>	A	George <i>et al.</i> , Current Methods in Sequence Comparison, <i>Macromolecular Sequencing and Synthesis Selected Methods and Applications</i> , Alan R. Liss, Inc., pp. 127-149 (1988)
<i>2</i>	B	Grenningloh <i>et al.</i> , Alpha subunit variants of the human glycine receptor: primary structures, functional expression and chromosomal localization of the corresponding genes, <i>The EMBO J.</i> 9(3): 771-776 (1990)
<i>2</i>	C	Puckett <i>et al.</i> , Molecular cloning and chromosomal localization of one of the human glutamate receptor genes, <i>Proc. Natl. Acad. Sci. U.S.A.</i> 88: 7557-7561 (1991)
<i>2</i>	D	Schofield <i>et al.</i> , Sequence and expression of human GABA _A $\alpha 1$ and $\Delta 1$ subunits, <i>FEBS Lett.</i> 244(2): 361-364 (1989)
<i>2</i>	E	Sun <i>et al.</i> , Molecular cloning, chromosomal mapping, and functional expression of human brain glutamate receptors, <i>Proc. Natl. Acad. Sci. U.S.A.</i> 89:1443-1447 (1992)

EXAMINER

John W. W.

DATE CONSIDERED

4-9-99

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER								DATE	NAME	CLASS	SUB CLASS	FILING DATE
<i>J</i>	A	4	8	3	7	1	4	8		6/8/89	Clegg	435	172.3	10/30/84
<i>J</i>	B	4	8	5	5	2	3	1		8/8/89	Stroman <i>et al.</i>	435	68	9/25/85
<i>J</i>	C	4	8	8	2	2	7	9		11/21/89	Clegg	435	68	10/25/85
<i>J</i>	D	4	9	2	9	5	5	5		5/29/90	Clegg <i>et al.</i>	435	172.3	10/19/87
<i>J</i>	E	5	0	2	4	9	3	9		6/18/91	Gorman	435	69.1	9/25/87
<i>J</i>	F	5	0	2	8	7	0	7		7/2/91	Nichols <i>et al.</i>	546	156	11/20/89
<i>J</i>	G	5	2	0	2	2	5	7		4/13/93	Heinemann <i>et al.</i>	435	252.3	6/21/91
<i>J</i>	H	5	4	0	1	6	2	9		3/28/95	Harpold <i>et al.</i>	435	6	8/7/90
<i>J</i>	I	5	4	0	3	4	8	4		4/4/95	Ladner <i>et al.</i>	435	235.1	1/26/93
<i>J</i>	J	5	4	3	6	1	2	8		7/25/95	Harpold <i>et al.</i>	435	6	1/27/93

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER								DATE	COUNTRY	CLASS	SUB CLASS	Translation NO YES	
<i>J</i>	K	0	6	0	0	2	7	8		6/8/94	EP A2	-	-		
<i>J</i>	L	0	6	0	6	7	3	4		7/20/94	EP	-	-		
<i>J</i>	M	0	6	7	4	0	0	3		9/27/95	EP	-	-		
<i>J</i>	N	2	2	9	1	6	4	7		1/31/96	GB	-	-		
<i>J</i>	O	6	0	1	4	7	8	3		1/25/94	JP	-	-		
<i>J</i>	P	9	1	0	6	6	4	8		5/16/91	PCT	-	-		
<i>J</i>	Q	9	2	2	3	7	6	9		11/12/92	GB	-	-		
<i>J</i>	R	9	3	0	7	0	2	6		4/2/93	GB	-	-		
<i>J</i>	S	9	3	1	3	4	2	3		7/8/93	PCT	-	-		
<i>J</i>	T	9	3	2	3	5	3	6		11/25/93	PCT	-	-		
<i>J</i>	U	9	3	2	4	6	2	9		12/9/93	PCT	-	-		

EXAMINER

Jok *U*

DATE CONSIDERED

11-14-03
4-9-99

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION/DISBURSE
STATEMENT

DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER							DATE	COUNTRY	CLASS	SUB CLASS	Translation NO YES	
2	V	9	3	2	5	6	7	9	12/23/93	PCT	-	-	*	
2	W	9	4	0	1	0	9	4	1/20/94	PCT	-	-	*	
2	X	9	4	0	4	6	9	8	3/3/94	PCT	-	-	*	
2	Y	9	4	0	6	4	2	8	3/31/94	PCT	-	-		
2	Z	9	4	1	1	5	0	1	5/26/94	PCT	-	-		
2	AA	9	5	2	6	4	0	1	10/5/95	PCT	-	-	*	

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

2	AB	Abbott, NMDA receptor cloned, <i>Trends Pharmacol. Sci.</i> 12:449 (1991)
2	AC	Abbott, NMDA receptor subunit cloned, <i>Trends Pharmacol. Sci.</i> 12:334 (1991)
2	AD	Abe <i>et al.</i> , Molecular characterization of a novel metabotropic glutamate receptor mGluR5 coupled to inositol phosphate/Ca ²⁺ signal transduction, <i>J. Biol. Chem.</i> 267:13361-13368 (1992)
2	AE	Albin <i>et al.</i> , Abnormalities of striatal projection neurons and N-methyl-D-aspartate receptors in presymptomatic Huntington's Disease, <i>N. Engl. J. Med.</i> 322(18):1293-1298 (1990)
2	AF	Anantharam <i>et al.</i> , Combinatorial RNA splicing alters the surface charge on the NMDA receptor, <i>FEBS Lett.</i> 305(1):27-30 (1992)
2	AG	Bahouth <i>et al.</i> , Immunological approaches for probing receptor structure and function, <i>Trends Pharmacol. Sci.</i> 12:338-343 (1991)
2	AH	Barnard, Will the real NMDA receptor please stand up? <i>Trends Pharmacol. Sci.</i> 13:11-12 (1992)
2	AI	Beal, Mechanisms of excitotoxicity in neurologic diseases, <i>FASEB J.</i> 6:3338-3344 (1992)
2	AJ	Ben-Ari <i>et al.</i> , Protein kinase C modulation of NMDA currents: an important link for LTP induction, <i>Trends Neurosci.</i> 15:333-339 (1992)
2	AK	Black <i>et al.</i> , N-methyl-D-aspartate- or glutamate-mediated toxicity in cultured rat cortical rat cortical neurons is antagonized by FPL 15896AR, <i>J. Neurochem.</i> 65:2170-2177 (1995)

EXAMINER

Tom Ull

DATE CONSIDERED

11-14-97
4-9-99

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

APPLICANT
DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

2	AL	Bottaro <i>et al.</i> , Identification of the hepatocyte growth factor receptor as the c-met proto-oncogene product, <i>Science</i> 251:802-804 (1991)
2	AM	Bradford, A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding, <i>Anal. Biochem.</i> 72:248 (1976)
2	AN	Bristow <i>et al.</i> , The glycine/NMDA receptor antagonist R-(+)-HA-966, blocks activation of the mesolimbic dopaminergic system induced by phencyclidine and dizcipine (MK-801) in rodents, <i>Br. J. Pharmacol.</i> 108:1156-1163 (1993)
2	AO	Choi, Calcium-mediated neurotoxicity: Relationship to specific channel types and role in ischemic damage, <i>Trends Neurosci.</i> 11(10):465-469 (1988)
2	AP	Choi, Glutamate neurotoxicity and diseases of the nervous system, <i>Neuron</i> 1:623-634 (1988)
2	AQ	Ciba-Geigy Unveils Research Agreement with SIBIA of U.S., <i>The Wall Street Journal</i> (September 17, 1992)
2	AR	Coyle <i>et al.</i> , Oxidative stress, glutamate, and neurodegenerative disorders, <i>Science</i> 262:689-695 (1993)
2	AS	Daggett <i>et al.</i> , Cloning and functional characterization of three splice variants of the human NMDAR1 receptor, <i>Biophys J.</i> , 36(2):447 (1994)
2	AT	Dascal, The use of <i>Xenopus</i> oocytes for the study of ion channels, <i>CRC Critical Reviews in Biochemistry</i> 22(4):317-387 (1987)
2	AU	Donnelly and Pallotta, Single-channel currents from diethylpyrocarbonate-modified NMDA receptors in cultured rat brain cortical neurons, <i>J. Gen. Physiol.</i> 105:837-859 (1995)
2	AV	Durand <i>et al.</i> , Cloning of an apparent splice variant of the rat N-methyl-D-aspartate receptor NMDAR1 with altered sensitivity to polyamines and activators of protein kinase C, <i>Proc. Natl. Acad. Sci. USA</i> 89:9359-9363 (1992)
2	AW	Egebjerg <i>et al.</i> , Intron sequence directs RNA editing of the glutamate receptor subunit GluR2 coding sequence, <i>Proc. Natl. Acad. Sci. USA</i> 91:10270-10274 (1994)
2	AX	Felder <i>et al.</i> , A transfected m1 muscarinic acetylcholine receptor stimulates adenylate cyclase via phosphatidylinositol hydrolysis, <i>J. Biol. Chem.</i> 264:20356-20362 (1989)
2	AY	Fisher and Aronson, Characterization of the cDNA and genomic sequence of a G protein γ subunit (γ_5), <i>Mol. Cell. Bio.</i> 12:1585 (1992)
2	AZ	Foldes <i>et al.</i> , Cloning and sequence analysis of cDNAs encoding human hippocampus N-methyl-D-aspartate receptor subunits: Evidence for alternative splicing, <i>Gene</i> 131:293-298 (1993)

EXAMINER

John C. Lin

DATE CONSIDERED

12-14-93
4-9-98

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND REFERENCES FOR
APPLICANT'S INFORMATION AND ASSURE
STATEMENT

APPLICANT:
DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

2	BA	Gautam <i>et al.</i> , A G protein gamma subunit shares homology with <i>ras</i> proteins, <i>Science</i> 244:971 (1989)
2	BB	Gautam <i>et al.</i> , G protein diversity is increased by associations with a variety of γ subunits, <i>Proc. Natl. Acad. Sci. USA</i> 87:7973 (1990)
2	BC	Gereau and Conn, Multiple presynaptic metabotropic glutamate receptors modulate excitatory and inhibitory synaptic transmission in hippocampal area CA1, <i>J. Neurosci</i> 15(10):6879-6889 (1995)
2	BD	Greenamyre <i>et al.</i> , Synaptic localization of striatal NMDA, quisqualate and kainate receptors, <i>Neurosci. Lett.</i> 101:133-137 (1989)
2	BE	Grimwood <i>et al.</i> , Interactions between the glutamate and glycine recognition sites of the <i>N</i> -methyl-D-aspartate receptor from rat brain, as revealed from radioligand binding studies, <i>J. Neurochem.</i> 60:1729-1738 (1993)
2	BF	Gubler <i>et al.</i> , A simple and very efficient method for generating cDNA libraries, <i>Gene</i> 25:263-269 (1983)
2	BG	Gunasekar <i>et al.</i> , NMDA receptor activation produces concurrent generation of nitric oxide and reactive oxygen species: Implication for cell death, <i>J. Neurochem.</i> 65:2016-2021 (1995)
2	BH	Gundersen <i>et al.</i> , Glutamate and kainate receptors induced by rat brain messenger RNA in <i>Xenopus</i> oocytes, <i>Proc. R. Soc. London Ser.</i> 221:127 (1984)
2	BI	Hess <i>et al.</i> , Cloning, functional expression, and pharmacological characterization of human NMDAR1/NMDAR2 heteromeric receptors, <i>Biophys J.</i> , 36(2):446 (1994) (abstract and poster)
2	BJ	Hess <i>et al.</i> , Biophysical properties of human NMDA receptors stably expressed in mammalian cells, <i>Soc. Neurosci. Abstr.</i> 21:1-3 (1995)
2	BK	Hoffman, NMDA receptor cloned -- twice! <i>Science</i> 254:801-802 (1991)
2	BL	Hollman <i>et al.</i> , Zinc potentiates agonist-induced currents at certain splice variants of the NMDA receptor, <i>Neuron</i> 10:943-954 (1993)
2	BM	Hollman <i>et al.</i> , Cloned glutamate receptors, <i>Annu. Rev. Neurosci.</i> 17:31-108 (1994)
2	BN	Hurley <i>et al.</i> , Isolation and characterization of a cDNA clone for the γ subunit of bovine retinal transducin, <i>Proc. Natl. Acad. Sci. USA</i> 81:6948 (1984)
2	BO	Ishii <i>et al.</i> , Molecular characterization of the family of the <i>N</i> -methyl-D-aspartate receptor subunits, <i>J. Biol. Chem.</i> 268(4):2836-2843 (1993)

EXAMINER

John Kim

DATE CONSIDERED

11-14-99
4-9-99

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

BP	Ito <i>et al.</i> , Characterization of prostaglandin E ₂ -induced Ca ²⁺ mobilization in single bovine adrenal chromaffin cells by digital image microscopy, <i>J. Neurochem.</i> 56:531-540 (1991)
BQ	Jones <i>et al.</i> , Characterization of the binding of radioligands to the N-methyl-D-aspartate, phencyclidine, and glycine receptors in buffy coat membranes, <i>J. Pharmacol. Meth.</i> 21:161 (1989)
BR	Kantak <i>et al.</i> , Effects of N-methyl-D-aspartate antagonists in rats discriminating different doses of cocaine: Comparisons with direct and indirect dopamine agonists, <i>J. Pharmacol. Exper. Therap.</i> 274:657-665 (1995)
BS	Karp <i>et al.</i> , Molecular cloning and chromosomal localization of the key subunit of the human N-methyl-D-aspartate receptor, <i>J. Biol. Chem.</i> 268:3728-3733 (1993)
BT	Kemp <i>et al.</i> , Protein kinase recognition sequence motifs, <i>Trends Biochem. Sci.</i> 15:342-346 (1990)
BU	Kishimoto <i>et al.</i> Studies on the phosphorylation of myelin basic protein by protein kinase C and adenosine 3':5'-monophosphate-dependent protein kinase, <i>J. Biol. Chem.</i> 260:12492-12499 (1985)
BV	Kisselev <i>et al.</i> , Receptor-G protein coupling is established by a conformational switch in the $\beta\gamma$ complex, <i>Proc. Natl. Acad. Sci. USA</i> 92:9102-9106 (1995)
BW	Kleuss <i>et al.</i> , Selectivity in signal transduction determined by γ subunits of heterotrimeric G proteins, <i>Science</i> 259:832 (1993)
BX	Köhr <i>et al.</i> , NMDA receptor Channels: Subunit-specific potentiation by reducing agents, <i>Neuron</i> 12:1031-1040 (1994)
BY	Kozak, Structural features in eukaryotic mRNAs that modulate the initiation of translation, <i>J. Biol. Chem.</i> 266:19867-19870 (1991)
BZ	Krieg and Melton, Functional messenger RNAs are produced by SP6 <i>in vitro</i> transcription of cloned cDNAs, <i>Nucleic Acids Research</i> 12:7057-7070 (1984)
CA	Kumar <i>et al.</i> , Cloning of cDNA for the glutamate-binding subunit of an NMDA receptor complex, <i>Nature</i> 354:70-73 (1991)
CB	Kutsuwada <i>et al.</i> , Molecular diversity of the NMDA receptor channel, <i>Nature</i> 358:36-41 (1992)
CC	Kyte and Doolittle, A simple method for displaying the hydropathic character of a protein, <i>J. Mol. Biol.</i> 157:105 (1982)
CD	Landwehrmeyer <i>et al.</i> , NMDA receptor subunit mRNA expression by projection neurons and interneurons in rat striatum, <i>J. Neurosci.</i> 15(7): 5297-5307 (1995)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND PUBLICATIONS
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

APPLICANT
DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassign d

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

2	CE	Le Bourdellès <i>et al.</i> , Cloning, functional coexpression, and pharmacological characterisation of human cDNAs encoding NMDA receptor NR1 and NR2A subunits, <i>J. Neurochem.</i> 62:2091-2098 (1994)
2	CF	Linder and Gilman, G proteins, <i>Scientific American</i> 267:56-65 (1992)
2	CG	Liu <i>et al.</i> , Mutational analysis of the relative orientation of transmembrane helices I and VII in G protein-coupled receptors, <i>J. Biol. Chem.</i> 270(3):19532-19539 (1995)
2	CH	Lynch <i>et al.</i> , Pharmacological characterization of heterodimeric NMDA receptors of NR1a and 2B subunits: Differences with receptors formed from NR 1a and 2A, <i>J. Neurochem.</i> 64:1462-1468 (1995)
2	CI	Masayuki, Human mRNA for key subunit of the N-methyl-D-aspartate receptor, DDBJ database (7/20/93)
2	CJ	Masu <i>et al.</i> , Sequence and expression of a metabotropic glutamate receptor, <i>Nature</i> 349:760-765 (1991)
2	CK	Matsui <i>et al.</i> , Functional comparison of D-serine and glycine in rodents: the effect on cloned NMDA receptors and the extracellular concentration, <i>J. Neurochemistry</i> 65:454-458 (1995)
2	CL	Mayer, NMDA receptors cloned at last, <i>Nature</i> 354:16-17 (1991)
2	CM	Meguro <i>et al.</i> , Functional characterization of a heteromeric NMDA receptor channel expressed from cloned cDNAs, <i>Nature</i> 357:70-74 (1992)
2	CN	Meldrum, Possible therapeutic applications of antagonists of excitatory amino acid neurotransmitters, <i>Clin. Sci.</i> 68:113-122 (1985)
2	CO	Meldrum <i>et al.</i> , Excitatory amino acid neurotoxicity and neurodegenerative disease, <i>Trends Pharmacol. Sci.</i> 11:379-387 (1990)
2	CP	Minakami <i>et al.</i> , The expression of two splice variants of metabotropic glutamate receptor subtype 5 in the rat brain and neuronal cells during development, <i>J. Neurochem.</i> 65:1536-1542 (1995)
2	CQ	Monaghan <i>et al.</i> , The excitory amino acid receptors: Their classes, pharmacology, and distinct properties in the function of the central nervous system, <i>Ann. Rev. Pharmacol. Toxicol.</i> 29:365-402 (1980)
2	CR	Monyer <i>et al.</i> , Heteromeric NMDA receptors: Molecular and functional distinction of subtypes, <i>Science</i> 256:1217-1221 (1992)
2	CS	Monyer <i>et al.</i> , Developmental and regional expression in the rat brain and functional properties of four NMDA receptors, <i>Neuron</i> 12:529-540 (1994)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION AND DISCLOSURE
STATEMENT

DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

2	CT	Moriyoshi <i>et al.</i> , Molecular cloning and characterization of the rat NMDA receptor, <i>Nature</i> 354:31-37 (1991)
2	CU	Nakajima <i>et al.</i> , Direct linkage of three tachykinin receptors to stimulation of both phosphatidylinositol hydrolysis and cyclic AMP cascades in transfected Chinese hamster ovary cells, <i>J. Biol. Chem.</i> 267:2437-2442 (1992)
2	CV	Nakanishi, Molecular diversity of glutamate receptors and implications for brain function, <i>Science</i> 258:597-602 (1992)
2	CW	Nicoletti <i>et al.</i> , The activation of inositol phospholipid metabolism as a signal-transducing system for excitatory amino acids in primary cultures of cerebellar granule cells, <i>J. Neurosci.</i> 6:1905 (1986)
2	CX	SIBIA/Ciba-Geigy agreement, <i>UCSD Connect</i> (September 16, 1992)
2	CY	Ogita <i>et al.</i> , A possible role of glutathione as an endogenous agonist at the <i>N</i> -methyl-D-aspartate recognition domain in rat brain, <i>J. Neurochem.</i> 64:1088-1096 (1995)
2	CZ	Other News to Note, <i>BioWorld Today</i> , 6 (April 15, 1994)
2	DA	O'Connor <i>et al.</i> , Tetanically induced LTP involves a similar increase in the AMPA and NMDA receptor components of the excitatory postsynaptic current: Investigations of the involvement of mGlu receptors, <i>J. Neurosci.</i> 15(3):2013-2020 (1995)
2		Paoletti and Ascher, Mechanosensitivity of NMDA receptors in cultured mouse central neurons, <i>Neuron</i> 13:645-655 (1995)
2	DB	Pin <i>et al.</i> , Alternative splicing generates metabotropic glutamate receptors inducing different patterns of calcium release in <i>Xenopus</i> oocytes, <i>Neurobiology</i> 89:10331-10335 (1992)
2	DC	Planells-Cases <i>et al.</i> , Molecular cloning, functional expression, and pharmacological characterization of an <i>N</i> -methyl-D-aspartate receptor subunit from human brain, <i>Proc. Natl. Acad. Sci. USA</i> 90:5057-5061 (1993)
2	DD	Potter, Sibia to collaborate with Ciba-Geigy, <i>BioWorld Today</i> 3:1 (Sep. 17, 1992)
2	DE	Reeck <i>et al.</i> , "Homology" in proteins and nucleic acids: a terminology muddle and a way out of it, <i>Cell</i> 50: 667 (1987)
2	DF	Rueter <i>et al.</i> , Glutamate receptor RNA editing <i>in vitro</i> by enzymatic conversion of adenosine to inosine, <i>Science</i> 267:1491-1494 (1995)
2	DG	Sakurada <i>et al.</i> , Alteration of Ca ²⁺ permeability and sensitivity to Mg ²⁺ and channel blockers by a single amino acid substitution in the <i>N</i> -methyl-D-aspartate, <i>J. Biol. Chem.</i> 268(1):410-415 (1993)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

APPLICANT:
DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

<i>h</i>	DH	Sambrook <i>et al.</i> , <i>Molecular Cloning. A Laboratory Manual</i> , 2d Ed., Cold Spring Harbor Laboratory Press (1989)
<i>h</i>	DI	Sanes <i>et al.</i> , Use of a recombinant retrovirus to study post-implantation cell lineage in mouse embryos, <i>EMBO J.</i> 5(12):3133-3142 (1986)
<i>h</i>	DJ	Sanner <i>et al.</i> , NMDA receptor blockade rescues Clarke's and red nucleus neurons after spinal hemisection, <i>J. Neurosci.</i> 14(11):6472-6480 (1995)
<i>h</i>	DK	Schoepp <i>et al.</i> , 1S,3R-ACPD-sensitive (metabotropic [³ H]glutamate receptor binding in membranes, <i>Neurosci. Lett.</i> 145:100 (1992)
<i>h</i>	DL	Sills <i>et al.</i> , [³ H]CGP 39653: a new N-methyl-D-aspartate antagonist radioligand with low nanomolar affinity in rat brain, <i>Eur. J. Pharmacol.</i> 192:19 (1991)
<i>h</i>	DM	Simon <i>et al.</i> , Diversity of G proteins in signal transduction, <i>Science</i> 252:802 (1991)
<i>h</i>	DN	Singaram <i>et al.</i> , Dopaminergic defect of enteric nervous system in Parkinson's disease patients with chronic constipation, <i>Lancet</i> 346:861-864 (1995)
<i>h</i>	DO	Sladeczek <i>et al.</i> , Glutamate stimulates inositol phosphate formation in striatal neurones, <i>Nature</i> 317:717 (1985)
<i>h</i>	DP	Smirnova <i>et al.</i> , Cloning a complementary DNA fragment of human brain kainate receptor, <i>Dokl. Akad. Nauk SSSR</i> 309(3):745-748 (1989)
<i>h</i>	DQ	Smirnova <i>et al.</i> , Characterization of a presynaptic glutamate receptor, <i>Science</i> 262:430-433 (1993)
<i>h</i>	DR	Smirnova <i>et al.</i> , Transsynaptic expression of a presynaptic glutamate receptor during hippocampal long-term potentiation, <i>Science</i> 262:433-436 (1993)
<i>h</i>	DS	Sommer <i>et al.</i> , Glutamate receptor channels: novel properties and new clones, <i>Trends Pharmacol. Sci</i> 13:291-296 (1992)
<i>h</i>	DT	Steiner <i>et al.</i> , Radioimmunoassay for cyclic nucleotides, <i>J. Biol. Chem.</i> 247:1106-1113 (1972)
<i>h</i>	DU	Stillman <i>et al.</i> , Replication and supercoiling of simian virus 40 DNA in cell extracts from human cells, <i>Mol. Cell. Biol.</i> 5:2051-2060 (1985)
<i>h</i>	DV	Stühmer, Electrophysiological recording from <i>Xenopus</i> oocytes, <i>Meth. Enzymol.</i> 207:319-339 (1992)
<i>h</i>	DW	Stumpo, D. <i>et al.</i> , Identification of c-fos sequences involved in induction by insulin and phorbol esters, <i>J. Biol. Chem.</i> 263(4):1611 (1988)
<i>h</i>	DX	Sugihara <i>et al.</i> , Structures and properties of seven isoforms of the NMDA receptor generated by alternative splicing, <i>Biochem. Biophys. Res. Commun.</i> 185(3):826-832 (1992)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF PATENTS AND P
APPLICANT'S INFORMATION DIS
STATEMENT

DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

<input checked="" type="checkbox"/>	DY	Sugiyama <i>et al.</i> , A new type of glutamate receptor linked to inositol phospholipid metabolism, <i>Nature</i> 325:531 (1987)
<input checked="" type="checkbox"/>	DZ	Sullivan <i>et al.</i> , Identification of two cysteine residues that are required for redox modulation of the NMDA subtype of glutamate receptor, <i>Neuron</i> 13:929-936 (1994)
<input checked="" type="checkbox"/>	EA	Takano <i>et al.</i> , Chromosomal localization of the $\epsilon 1$, $\epsilon 3$ and $\zeta 1$ subunit genes of the human NMDA receptor channel, <i>Biochem. Biophys. Res. Commun.</i> 197(2):922-926 (1993)
<input checked="" type="checkbox"/>	EB	Tamir <i>et al.</i> , G-protein $\beta\gamma$ forms: Identity of β and diversity of γ subunits, <i>Biochemistry</i> 30:3929 (1991)
<input checked="" type="checkbox"/>	EC	Tanabe <i>et al.</i> , A family of metabotropic glutamate receptors, <i>Neuron</i> 8:169-179 (1992)
<input checked="" type="checkbox"/>	ED	Tingley <i>et al.</i> , Regulation of NMDA receptor phosphorylation by alternative splicing of the C-terminal domain, <i>Nature</i> 364:70-73 (1993)
<input checked="" type="checkbox"/>	EE	Ulas <i>et al.</i> , Selective increase of NMDA-sensitive glutamate binding in the striatum of Parkinson's disease, Alzheimer's disease, and mixed Parkinson's disease/ Alzheimer's disease patients: An autoradiographic study, <i>J. Neurosci.</i> 14(11):6317-6324 (1994)
<input checked="" type="checkbox"/>	EF	Urlaub <i>et al.</i> , Effect of gamma rays at the dihydrofolate reductase locus: Deletions and Inversions, <i>Somatic Cell and Mol. Genetics</i> 12(6):555-566 (1986)
<input checked="" type="checkbox"/>	EG	Varney <i>et al.</i> , Stable expression and characterization of recombinant human dimeric NMDA receptor subtypes 1A/2A and 1A/2B in mammalian cells, <i>Soc. Neurosci. Abstr.</i> (1995)
<input checked="" type="checkbox"/>	EH	Vomov <i>et al.</i> , Enhancement of NMDA receptor-mediated neurotoxicity in the hippocampal slice by depolarization and ischemia, <i>Brain Res.</i> 555:99-106 (1991)
<input checked="" type="checkbox"/>	EI	Waechter and Baserga, Effect of methylation on expression of microinjected genes, <i>Proc. Natl. Acad. Sci. USA</i> 79:1106-1110 (1982)
<input checked="" type="checkbox"/>	EJ	Wafford <i>et al.</i> , Preferential co-assembly of recombinant NMDA receptors composed of three different subunits, <i>NeuroReport</i> 4(12):1347-1349 (1993)
<input checked="" type="checkbox"/>	EK	Wahlestedt <i>et al.</i> , Antisense oligodeoxynucleotides to NMDA-R1 receptor channel protect cortical neurons from excitotoxicity and reduce focal ischaemic infarctions, <i>Nature</i> 363:260-263 (1993)
<input checked="" type="checkbox"/>	EL	Wenzel <i>et al.</i> , Distribution of NMDA receptor subunit proteins NR2A, 2B, 2C, and 2D in rat brain, <i>NeuroReport</i> 7:45-48 (1995)
<input checked="" type="checkbox"/>	EM	Wigler <i>et al.</i> , DNA-mediated transfer of the adenine phosphoribosyltransferase locus into mammalian cells, <i>Proc. Natl. Acad. Sci. USA</i> 76:1373-1376 (1979)
<input checked="" type="checkbox"/>	EN	Wong <i>et al.</i> , The anticonvulsant MK-801 is a potent N-methyl-D-aspartate antagonist, <i>Proc. Natl. Acad. Sci. USA</i> 83:7104 (1986)

EXAMINER

John D. ...

DATE CONSIDERED

4-9-99

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DAGGETT *et al.*

FILING DATE
September 29, 1997

GROUP
Unassigned

EO Yakel *et al.*, Identification of a Ca^{2+} /calmodulin protein kinase II regulatory phosphorylation site in *N*-methyl-D-aspartate glutamate receptors, *Proc. Natl. Acad. Sci. USA* 92:1376-1380 (1995)

EP Yamazaki, M. *et al.*, Cloning, expression and modulation of a mouse NMDA receptor subunit *FEBS Letters* 300(1):39 (1992)

EQ Young *et al.*, NMDA receptor losses in putamen from patients with Huntington's Disease, *Science* 241:981-983 (1988)

ER Younkin *et al.*, Inducible expression of neuronal glutamate receptor channels in the NT2 human cell line. *Proc. Natl. Acad. Sci. USA* 90:2174-2178 (1993)

ES Zeevalk et al., Chemically induced hypoglycemia and anoxia: Relationship to glutamate receptor-mediated toxicity in retina. *J. Pharmacol. Exp. Ther.* 253(3):1285-1292 (1990)

ET Zeevalk *et al.*, Mechanisms underlying initiation of excitotoxicity associated with metabolic inhibition, *J. Pharmacol. Exp. Ther.* 257(2):870-878 (1991)

EU Zhang *et al.*, Spermine potentiation of recombinant N-methyl-D-aspartate receptors is affected by subunit composition, *Proc. Natl. Acad. Sci. USA* 91:10883-10887 (1994)

EV Zipser *et al.*, Mapping function domains in the promoter region of the herpes thymidine kinase gene, *Proc. Natl. Acad. Sci. USA* 78(10):6276-6280 (1981)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.